

Štruktúra: STANDARD PVC**Zloženie:** PVC 2 mm / XPS / PVC 2 mm

| | | | | |
|--------------------------------|-----------|-----------|-----------|-----------|
| Hrúbka [mm] | 24 | 28 | 33 | 36 |
| R [m²,K/W] | 0,612 | 0,729 | 0,876 | 0,965 |
| U [W/(m²,K)] | 1,279 | 1,112 | 0,956 | 0,881 |
| Hrúbka [mm] | 40 | 42 | 44 | 48 |
| R [m²,K/W] | 1,082 | 1,141 | 1,200 | 1,318 |
| U [W/(m²,K)] | 0,798 | 0,763 | 0,730 | 0,672 |

Štruktúra: STANDARD AL**Zloženie:** AL 1,2 mm / XPS / AL 1,2 mm

| | | | | |
|--------------------------------|-----------|-----------|-----------|-----------|
| Hrúbka [mm] | 24 | 28 | 33 | 36 |
| R [m²,K/W] | 0,635 | 0,753 | 0,900 | 0,988 |
| U [W/(m²,K)] | 1,242 | 1,083 | 0,935 | 0,863 |
| Hrúbka [mm] | 40 | 42 | 44 | 48 |
| R [m²,K/W] | 1,106 | 1,165 | 1,224 | 1,341 |
| U [W/(m²,K)] | 0,784 | 0,749 | 0,718 | 0,662 |

Štruktúra: STANDARD PLUS PVC**Zloženie:** PVC 2 mm / XPS / AL 1 mm / XPS / PVC 2 mm

| | | | | |
|--------------------------------|-----------|-----------|-----------|-----------|
| Hrúbka [mm] | 24 | 28 | 33 | 36 |
| R [m²,K/W] | 0,582 | 0,700 | 0,847 | 0,935 |
| U [W/(m²,K)] | 1,329 | 1,149 | 0,983 | 0,905 |
| Hrúbka [mm] | 40 | 42 | 44 | 48 |
| R [m²,K/W] | 1,053 | 1,112 | 1,171 | 1,288 |
| U [W/(m²,K)] | 0,818 | 0,780 | 0,746 | 0,686 |

Štruktúra: Stabil PVC**Zloženie:** PVC 2 mm / preglejka 6 mm / XPS / preglejka 6 mm / PVC 2 mm

| | | | | |
|--------------------------------|-----------|-----------|-----------|-----------|
| Hrúbka [mm] | 24 | 28 | 33 | 36 |
| R [m²,K/W] | 0,392 | 0,510 | 0,657 | 0,745 |
| U [W/(m²,K)] | 1,779 | 1,471 | 1,209 | 1,093 |
| Hrúbka [mm] | 40 | 42 | 44 | 48 |
| R [m²,K/W] | 0,863 | 0,922 | 0,980 | 1,098 |
| U [W/(m²,K)] | 0,968 | 0,916 | 0,869 | 0,789 |

Štruktúra: TRD HPL**Zloženie:** HPL 2 mm / XPS / syntetická guma 6 mm / XPS / HPL 2 mm

| | | | | |
|--------------------------------|-----------|-----------|-----------|-----------|
| Hrúbka [mm] | 28 | 33 | 36 | 40 |
| R [m²,K/W] | 0,730 | 0,877 | 0,966 | 1,083 |
| U [W/(m²,K)] | 1,111 | 0,955 | 0,881 | 0,798 |
| Hrúbka [mm] | 42 | 44 | 48 | |
| R [m²,K/W] | 1,142 | 1,201 | 1,319 | |
| U [W/(m²,K)] | 0,762 | 0,729 | 0,672 | |